



ELSEVIER

Sedimentary Geology 135 (2000) 321–323

**Sedimentary  
Geology**

www.elsevier.nl/locate/sedgeo

## Author Index Vol. 135 (2000)

- Aloisi, G., see Cita, M. B. 135 (2000) 181  
Aloisi, G., see Rebesco, M. 135 (2000) 65  
Anastasakis, G., see Rothwell, R. G. 135 (2000) 75
- Bischoff, J. L., see Smoot, J. P. 135 (2000) 241  
Brahmantyo, B., see Takahama, N. 135 (2000) 157
- Calvo, J. P., see Rodríguez-Pascua, M. A. 135 (2000) 117  
Cernobori, L., see Rebesco, M. 135 (2000) 65  
Cita, M. B. and G. Aloisi, Deep-sea tsunami deposits triggered by the explosion of Santorini  
(3500 y BP), eastern Mediterranean 135 (2000) 181  
Cita, M. B., see Shiki, T. 135 (2000) vii
- D'Alessandro, A., see Massari, F. 135 (2000) 265  
De Diego, T., see Gorsline, D. S. 135 (2000) 21  
De Vicente, G., see Rodríguez-Pascua, M. A. 135 (2000) 117
- Fujiwara, O., F. Masuda, T. Sakai, T. Irizuki and K. Fuse, Tsunami deposits in Holocene bay mud in  
southern Kanto region, Pacific coast of central Japan 135 (2000) 219  
Fukuyama, K., see Shiki, T. 135 (2000) 37  
Fuse, K., see Fujiwara, O. 135 (2000) 219
- Garcia, D., see Takayama, H. 135 (2000) 295  
Góes, A. M., see Rossetti, D. F. 135 (2000) 137  
Gómez-Gras, D., see Rodríguez-Pascua, M. A. 135 (2000) 117  
Gorsline, D. S., see Shiki, T. 135 (2000) vii  
Gorsline, D. S., T. De Diego and E. H. Nava-Sanchez, Seismically triggered turbidites in small margin  
basins: Alfonso Basin, Western Gulf of California and Santa Monica Basin, California Borderland 135 (2000) 21
- Hasegawa, T., see Takayama, H. 135 (2000) 295  
Hassler, S. W., H. F. Robey and B. M. Simonson, Bedforms produced by impact-generated tsunami,  
~2.6 Ga Hamersley basin, Western Australia 135 (2000) 283  
Hieke, W. and F. Werner, The Augias megaturbidite in the central Ionian Sea (central Mediterranean)  
and its relation to the Holocene Santorini event 135 (2000) 205  
Hieke, W., Transparent layers in seismic reflection records from the central Ionian Sea (Mediterra-  
nean)—evidence for repeated catastrophic turbidite sedimentation during the Quaternary 135 (2000) 89
- Inouchi, Y., see Shiki, T. 135 (2000) 37  
Irizuki, T., see Fujiwara, O. 135 (2000) 219

PII: S0037-0738(00)00081-6

- Ishii, M., see Nanayama, F. 135 (2000) 255  
 Iturralde-Vinent, M. A., see Takayama, H. 135 (2000) 295
- Kähler, G., see Rothwell, R. G. 135 (2000) 75  
 Kanai, Y., see Nakajima, T. 135 (2000) 1  
 Kiyokawa, S., see Takayama, H. 135 (2000) 295  
 Koitabashi, S., see Nanayama, F. 135 (2000) 255  
 Kontani, Y., see Shiki, T. 135 (2000) 37  
 Kumon, F., see Shiki, T. 135 (2000) 37
- Litwin, R. J., see Smoot, J. P. 135 (2000) 241  
 Lund, S. J., see Smoot, J. P. 135 (2000) 241
- Massari, F. and A. D'Alessandro, Tsunami-related scour-and-drape undulations in Middle Pliocene restricted-bay carbonate deposits (Salento, south Italy) 135 (2000) 265  
 Masuda, F., see Fujiwara, O. 135 (2000) 219  
 Masuda, F., see Takashimizu, Y. 135 (2000) 231  
 Matsubara, H., see Shiki, T. 135 (2000) 37  
 Matsuda, J.-i., Seismic deformation structures of the post-2300 a BP muddy sediments in Kawachi lowland plain, Osaka, Japan 135 (2000) 99  
 Matsui, T., see Takayama, H. 135 (2000) 295  
 Miyasaka, S., see Nanayama, F. 135 (2000) 255  
 Moretti, M., Soft-sediment deformation structures interpreted as seismites in middle-late Pleistocene aeolian deposits (Apulian foreland, southern Italy) 135 (2000) 167
- Nakajima, T. and Y. Kanai, Sedimentary features of seismoturbidites triggered by the 1983 and older historical earthquakes in the eastern margin of the Japan Sea 135 (2000) 1  
 Nanayama, F., K. Shigeno, K. Satake, K. Shimokawa, S. Koitabashi, S. Miyasaka and M. Ishii, Sedimentary differences between the 1993 Hokkaido-nansei-oki tsunami and the 1959 Miyakojima typhoon at Taisei, southwestern Hokkaido, northern Japan 135 (2000) 255  
 Nava-Sanchez, E. H., see Gorsline, D. S. 135 (2000) 21  
 Nilsen, T. H., The Hilt Bed, an Upper Cretaceous compound basin-plain seismoturbidite in the Hornbrook Forearc Basin of southern Oregon and northern California, USA 135 (2000) 51
- Oji, T., see Takayama, H. 135 (2000) 295  
 Okada, H., see Takayama, H. 135 (2000) 295  
 Otsuka, T., see Takahama, N. 135 (2000) 157
- Rebesco, M., B. Della Vedova, L. Cernobori and G. Aloisi, Acoustic facies of Holocene megaturbidites in the Eastern Mediterranean 135 (2000) 65  
 Reeder, M. S., see Rothwell, R. G. 135 (2000) 75  
 Robey, H. F., see Hassler, S. W. 135 (2000) 283  
 Rodríguez-Pascua, M. A., J. P. Calvo, G. De Vicente and D. Gómez-Gras, Soft-sediment deformation structures interpreted as seismites in lacustrine sediments of the Prebetic Zone, SE Spain, and their potential use as indicators of earthquake magnitudes during the Late Miocene 135 (2000) 117  
 Rossetti, D. F. and A. M. Góes, Deciphering the sedimentological imprint of paleoseismic events: an example from the Aptian Codó Formation, northern Brazil 135 (2000) 137  
 Rothwell, R. G., M. S. Reeder, G. Anastasakis, D. A. V. Stow, J. Thomson and G. Kähler, Low sea-level stand emplacement of megaturbidites in the western and eastern Mediterranean Sea 135 (2000) 75
- Sakai, T., see Fujiwara, O. 135 (2000) 219  
 Sakamoto, T., see Shiki, T. 135 (2000) 37

- Satake, K., see Nanayama, F. 135 (2000) 255
- Shigeno, K., see Nanayama, F. 135 (2000) 255
- Shiki, T., F. Kumon, Y. Inouchi, Y. Kontani, T. Sakamoto, M. Tateishi, H. Matsubara and K. Fukuyama, Sedimentary features of the seismo-turbidites, Lake Biwa, Japan 135 (2000) 37
- Shiki, T., M. B. Cita and D. S. Gorsline, Sedimentary features of seismites, seismo-turbidites and tsunamiites—an introduction 135 (2000) vii
- Shimokawa, K., see Nanayama, F. 135 (2000) 255
- Simonson, B. M., see Hassler, S. W. 135 (2000) 283
- Smoot, J. P., R. J. Litwin, J. L. Bischoff and S. J. Lund, Sedimentary record of the 1872 earthquake and "Tsunami" at Owens Lake, southeast California 135 (2000) 241
- Stow, D. A. V., see Rothwell, R. G. 135 (2000) 75
- Tada, R., see Takayama, H. 135 (2000) 295
- Tajika, E., see Takayama, H. 135 (2000) 295
- Takahama, N., T. Otsuka and B. Brahmantyo, A new phenomenon in ancient liquefaction—the draw-in process, its final stage 135 (2000) 157
- Takashimizu, Y. and F. Masuda, Depositional facies and sedimentary successions of earthquake-induced tsunami deposits in Upper Pleistocene incised valley fills, central Japan 135 (2000) 231
- Takayama, H., R. Tada, T. Matsui, M. A. Iturralde-Vinent, T. Oji, E. Tajika, S. Kiyokawa, D. Garcia, H. Okada, T. Hasegawa and K. Toyoda, Origin of the Peñalver Formation in northwestern Cuba and its relation to K/T boundary impact event 135 (2000) 295
- Tateishi, M., see Shiki, T. 135 (2000) 37
- Thomson, J., see Rothwell, R. G. 135 (2000) 75
- Toyoda, K., see Takayama, H. 135 (2000) 295
- Vedova, B. Della, see Rebesco, M. 135 (2000) 65
- Werner, F., see Hieke, W. 135 (2000) 205



